


Mylar(CAN BE REMOVE)

3D VIEW

A	新版发行	chu	2011-03-02
Rev. 版本	CHANGE DESCRIPTION 变更内容	REVISOR 制/修订人	DATE 日期

MATERIAL	TOLERANCE UNSPECIFIED		深圳市文章济美科技有限公司	
	0.0 ±0.30	0.0 ±2	SCALE	UNIT
FINISH	0.00 ±0.20	.0 ±1	1:1	mm
	0.000 ±0.10	.0 ±0.5	NAME	
	DRAWN Chu 11/03/02		HDMI C/F TYPE SMT TYPE (HSC Series)	
	DESIGNER Chu 11/03/02		SHEET	
CHECKED		1/2		
APPROVED		DRAWING NO.		
		5001-HDMI01C-19R1-00		
		REV		
		A		



RECOMMENDED PCB LAYOUT(TOP VIEW)  
 (THICKNESS=0.8±0.05mm)  
 TOLERANCE = ±0.05

NOTES:

1. MATERIAL:
  - 1.1 HOUSING: LCP, BLACK, UL94V-0
  - 1.2 SHELL: BRASS
  - 1.3 TERMINAL: PHOSPHOR BRONZE
  - 1.4 MYLAR:
2. PLATING:
  - 1.1 SHELL: GOLD PLATING OVER NICKEL
  - UNDERPLATED/NICKEL PLATING OVER ALL
  - 1.2 TERMINAL: GOLD PLATING ON CONTACT AREA AND TIN PLATING ON SOLDER AREA, NICKEL UNDERPLATING OVER ALL
3. All RAW MATERIAL, COMPONENTS, AND PROCESS MUST MEET HAZARD SUSTAIN FREE PER RoHS & REACH STANDARD.

4. P/N: 5001-HDMI 01 C -19 R 1-00

- ALTERNATE
- PACKING: R: 卷
- PIN
- C型
- 固定脚: 插件
- 高清座
- JME CONNECTOR SERIES

PIN	Signal Name	PIN	Signal Name
1	TMDS DATA2 Shield	11	TMDS Clock+
2	TMDS DATA2+	12	TMDS Clock-
3	TMDS DATA2-	13	DDC/CEC Ground
4	TMDS DATA1 Shield	14	CEC
5	TMDS DATA1+	15	SCL
6	TMDS DATA1-	16	SDA
7	TMDS DATA0 Shield	17	Reserved(in cable but N.C.on device)
8	TMDS DATA0+		
9	TMDS DATA0-	18	+5V Power
10	TMDS Clock Shield	19	Hot Plug Detect

A	新版发行	chu	2011-03-02
Rev. 版本	CHANGE DESCRIPTION 变更内容	REVISOR 制/修订人	DATE 日期

MATERIAL	TOLERANCE UNSPECIFIED	深圳市文章济美科技有限公司	
	0.0 ±0.30 0' ±2'	0.00 ±0.20 .0' ±1'	0.000 ±0.10 .0' ±0.5'
FINISH	DRAWN Chu 11/03/02	NAME	SHEET
	DESIGNER Chu 11/03/02	HDMI C/F TYPE SMT TYPE (HSC Series)	2/2
	CHECKED	DRAWING NO.	REV
	APPROVED	5001-HDMI01C-19R1-00	A
		SCALE 1:1	UNIT mm